

Republic of the Philippines DEPARTMENT OF AGRICULTURE ATIONAL TOBACCO ADMINISTRATION

11th The Upper Class Tower, Block S-139, Quezon Avenue corner Scout Reyes St., Barangay Paligsahan, Quezon City Tel No. (02) 8374-3987 / Fax. No. (02) 8374-2505 / Website: http://nta.da.gov.ph ISO 9001: 2015 QMS CERTIFIED



Request for Quotation

PROJECT: SUPPLY & DELIVERY OF ONE (1) UNIT OF FIREWALL FOR THE USE OF THE MANAGEMENT INFORMATION SYSTEM DIVISION

Purchase Request No.: 2404 - 141

The NATIONAL TOBACCO ADMINISTRATION (NTA), through its' Corporate Operating Budget for CY 2024, intends to apply the sum of ₱ 420,000.00, being the Agency Estimate, to payments under the contract for the "Supply & Delivery of One (1) Unit of Firewall for the Use of the Management Information System Division". Quotations received in excess of the Agency Estimate shall be automatically rejected.

- 1. The NTA now invites quotations for the "Supply & Delivery of One (1) Unit of Firewall for the Use of the Management Information System Division". Delivery of Goods/Services is required for a period of thirty (30) calendar days, after the issuance of Purchase Order.
- 2. A complete set of Specifications and Quotation Form may be acquired by interested parties from MR. GERALD C. GUZMAN, from the address below.
- 3. Quotations must be delivered to the address below on or before April 19, 2024, at 5 PM
- 4. The NTA reserves the right to accept or reject any quotation prior to contract award, without thereby incurring any liability to the affected interested parties.

For further information, please refer to:

ZENAIDA T. ARROJO

National Tobacco Administration 11TH Floor, The Upper Class Tower, Quezon Avenue corner Scout Reyes St., **Quezon City**

Tel No. 372 3188;

Website Address: nta.da.gov.ph

Chairperson, NTA-BAC

Masaganang Agrikultura, Maunlad na Ekonomiya

	Bie	ds and Av	vards Form No.						
	Re	public of	the Philippines t of Agriculture	Quotation Form	No. Date:				
11	NATIONA	L TOBAC	CO ADMINISTRATION Class Tower, Quezon Ave.						
				QUOTED BY:					_
		Name c	of Company	Signature over P	rinted Name				
Diam			eact No.	Position/Des Date:	ignation				
Please que	ote us you	net gove	ernment price, taxes included, on	each of the following:					_
Lot	Qty.	Unit		PTION/SPECIFICATION	Selling Price per Unit	Total ABC (PhP)	(V or Al)	Complied	_
1	1	unit	FIREWALL		peronic	420,000.00	(Y or N)	BID PRICE	_
			Country of Origin : USA/UK/EL	j					
			Bypass port pairs: 1 Max. total port density (incl. use of Optional add-on connectivity: SFI Transceivers I/O Ports: 1x COM RJ45, 2x USE 1x Micro USB (cable included) Display: Multi-function LCD disple Power Supply: Internal auto-range (External Redundant PSU Option (External Redundant PSU Option (CC*, KC, BSMI*, RCM, NOM, AMAX. Power-over-Ethernet (using the Option (Using RCM) (Included (Using RCM))	Marvell NPU -III SSD xed bypass ports), 2x SFP GE Fiber of modules): 18 P DSL module (VDSL2) SFP/SFP+ 3 3.0 / 1x USB 2.0 / 1x RJ45 MGMT / , ay ling DC 100-240VAC, 3-6A@50-60 Hz ion) IC): CB, CE, UL, FCC, ISED, VCCI, natel* III Flexi Port module) f modules): 18: May Power average					
		I I I I I I I I I I I I I I I I I I I	Security Performance Firewall Throughput: 30,000 Mbps Firewall IMIX: 16,500 Mbps Firewall Latency (64 byte UDP): 6 PS throughput: 6,000 Mbps Fhreat Protection throughput: 1,2: NGFW: 5,200 Mbps Concurrent connections: 6,500,00 New connections/sec:134,700 Psec VPN throughput: 17,000 Mb PSec VPN concurrent tunnels: 5,6 SL VPN concurrent tunnels: 2,50 Istream SSL/TLS Inspection: 1,10 Istream SSL/TLS Concurrent conclaximum licensed users: unrestri- Inforcement indicators Inforcement	μs 50 Mbps 50 Mbps 50 Mbps 60 Mbps 60 Mbps 60 Mbps 60 Mbps 60 mection: 18,432 61 cted 61 at-a-glance rule feature and 62 merface and firewall rule management that-a-glance rule feature and 63 merface and SSL VPN 64 GUI (e.g. Packet Capture) 65 ransit Gateway					

	Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
	1		Role-based administration	per Unit	· Cui ADC (FIIP)	(Y or N)	BID PRICE
			Automated firmware update notification with easy automated update process and roll-back features				
			Pougable system shirt of the state of the st				
			Reusable system object definitions for networks, services, hosts, time				
			periods, users and groups, clients and servers				
			Self-service user portal				
			Configuration change tracking				
			Flexible device access control for services by zones				
			Email or SNMP trap notification options				
			SNMD 2 and Made				
			SNMPv3 and Netflow support	1		1	
			Central management support via Cloud-based Unified Console		l)		
			Automatic Email Notifications for any important event				
			Backup and restore configurations: locally, via FTP or email; on-				
			demand, daily, weekly or monthly			1	
			API for 3rd party integration				
			Interface renaming				
					1		
m			Remote access option for support				
- 1			Cloud-based license management via Licensing Portal			1	
			Syslog support				
			Real-Time Flow Monitoring				
			Traffic light style indicators				
			Instant Insights At a Glance	1			
			Quick Drill-down Interaction with Any Control Center Widget				
			SNMP with a Custom MiB and support for IPSec VPN Tunnels				
			Support for new AWS instances (C5/M5 and T3)	1			
			Support for cloud formation templates				
- 1			Virtual WAN zone support on support				
			Virtual WAN zone support on custom gateways for post deployment single arm usage				
				1		1	
			Supports a broad range of virtualization platforms and can also be deployed as a software appliance				
- 1			on your own x86 Intel hardware				
			Avgilable in the AMC and a control of				
- 1		- d	Available in the AWS marketplace with a pay-as-you-go (PAYG) license				
			model, of bring your own				
		- 1	license (BYOL) to best fit your needs.	1			
		1	Certified and optimized for Azure and is available in the Microsoft Azure				
			Marketplace. Can take a free test drive or the flevible DAVC or DVOL	1		- 1	
		- 1	incensing options.	1			
		- 1	Nutanix AHV and Nutanix Flow support			- 1	
		1	Stronger password hash algorithm (requires a password change)				
		- 1	Central Firewall Management				
- 1			Cloud-based management and reporting for multiple firewalls provides				
		19	group policy management and a single console for all your IT security				
		1	products			1	
- 1		le	Group policy management allows objects, settings, and policies to be	1		- 1	
		l r	modified once and automatically synchronized to all firewalls in the			1	
			group			1	
				1			
		,	Task Manager provides a full historical audit trail and status monitoring of group policy changes	- 1			
		j.	Backup firmware management which	1			
		,	Backup firmware management which stores the last five configuration				
- 1		5	packup files for each firewall with one that can be pinned for permanent storage and easy access				
		F	irmware undates which offer and all all a				
],	Firmware updates which offer one-click firmware updates to be applied o any device				
		1	o any device	1			
		Į2	Zero-touch deployment enables the initial configuration to be performed		Į.		
- 1		- 1"	Oloug-based management and then exported for loading onto the				
		ľ	levice from a riash drive at startup, automatically connecting the device				
		lp	pack to central console				
		0	Group firewall management via a partner dashboard		[-		
		F	irmware update scheduling				
		li.	Aulti-firewall reporting general 5				
			Multi-firewall reporting across firewall groups	1			
		Is	Save, schedule and export reports from central console	1			
			irewall, Networking & Routing	1			
			stateful deep packet inspection firewall				
			1				
		P	acket processing architecture that provides extreme levels of visibility,				
		p	rotection, and performance through stream-based packet processing				
		T	LS inspection with high performance, support for TLS 1.3 with no		1		
		lui	owngrading, port				
		a	gnostic, enterprise-grade polices, unique dashboard visibility, and		1		
		l n	ompatibility troubleshooting			- 1	

	Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
			DPI Engine that provides stream scanning protection for IPS, AV, Web,	per Unit	/r m. /	(Y or N)	BID PRICE
			App Control, and TES				
			Inspection in a single high-performance engine				
			Accelerates SaaS, SD-WAN, and cloud traffic such as VoIP, video, and				
			other trusted applications via FastPath through the new Xstream Flow Processors.				
			Network Flow FastPath delivers policy-driven and intelligent acceleration of trusted traffic automatically				
			Improved FastPath support for active-passive pairs				
			Pre-packaged exception list				
			Covers all ports/protocols				
			Supports all modern cypher suites				
			Unmatched visibility and error handing				
			User, group, time, or network based policies				
			Access time polices per user/group				
			Enforce policy across zones, networks, or by service type				
			Zone-based firewall				
			Default zones for LAN, WAN, DMZ, LOCAL, VPN and WiFi		-		
			Full VLAN support				
			Zone and VLAN isolation and zone-based policy support.				
			Micro-segmentation and auto-isolation via Synchronized Security				
			Custom zones on LAN or DMZ		1		
			Customizable NAT policies with IP masquerading and full object				
			support to redirect or forward multiple services in a single rule with a				
			convenient NAT rule wizard to quickly and easily create compley NAT				
			rules in just a few clicks				
			Flood protection: DoS, DDoS and portscan blocking				
			Country blocking by geo-IP				
			Advanced Routing: static, multicast (PIM-SM), and dynamic (RIP, BGP,	1			
		1	OSPF) with full 802.1Q VLAN support	1			
			Upstream proxy support				
			Protocol independent multicast routing with IGMP snooping				
-			Bridging with STP support and ARP broadcast forwarding				
		- 1	VLAN DHCP support and tagging				
- 1			VLAN bridge support				
			Jumbo Frame Support				
		- 1	SD-WAN link balancing: multiple Internet connections, auto-link health				
			check, automatic failover, automatic and weighted balancing, and				
		- 1	granular multipath rules	- 1			
		- 1	Wireless WAN support (n/a in virtual deployments)	1			
			802.3ad interface link aggregation		-		
	1	- 1	Full configuration of DNS, DHCP and NTP				
			Dynamic DNS (DDNS)	1			
		1	Pv6 Ready Logo Program Approval Certification				
	1		Pv6 tunnelling support including 6in4, 6to4, 4in6, and IPv6 rapid				
		c	deployment (6rd) through IPSec				
			, , , , , , , , , , , , , , , , , , , ,				
			SD-WAN				
		5	Support for multiple WAN link options including VDSL, DSL, cable, and				
		١,	OCA-O/LTE CEILUIAF WITH				
		E	essential monitoring, balancing, failover and fail-back	1			
		1/2	Application path selection and routing which is used to ensure quelity				
		ļ¢	and minimize latency for				
			nission-critical applications such as VoIP	1			
		8	Synchronized SD-WAN, a Synchronized Security feature which				
		18	everages the added clarify and reliability of application identification				
		Į u	lat comes with the sharing of Synchronized Application Control	1			
			nformation between managed endpoints and Firewall		f		
		S	synchronized SD-WAN application routing over preferred links via		1		
			rewait rules or policy-based routing				
		IA	ffordable, flexible, and zero-touch or low-touch deployment				
		R	obust VPN support including IPSec and SSL VPN				
		C	entralized VPN orchestration				
		ļυ	nique RED Layer 2 tunnel with routing				
	1	lr	ntegration with Azure Virtual WAN for a complete SD-WAN overlay	1			
		n	etwork				
	1						
		В	ase Traffic Shaping & Quotas				
		F	lexible network or user based traffic shaping (OoS) (ephanced Wob	-			
		ai	IN App traffic snaping options				
		in	cluded with the Web Protection subscription)				
1		S	et user-based traffic quotas on upload/download or total traffic and				
- 4	1	[C]	/clical or non-cyclical	1	1	1	

Lot	Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price per Unit	Total ABC (PhP)	0/	Complied
			Real-time VoIP optimization	per Unit		(Y or N)	BID PRICE
			DSCP marking				
			Socure Mirelana				
			Secure Wireless				
			Simple plug-and-play deployment of wireless access points (APs) — automatically appear on the firewall control center				
			High performance with the latest 802.11ac, Wave 2 wireless standard,	1			
			and powerful radios				
			Central monitoring and management of APs and wireless clients				
			unough the built-in wireless controller				
			Bridge APs to LAN, VLAN, or a separate zone with client isolation options				
			Multiple SSID support per radio including hidden SSIDs				
	1		Support for the latest security and encryption standards including MDA2				
			r ersonal and Enterprise				
			Channel width selection option				
			Support for IEEE 802.1X (RADIUS authentication) with primary and secondary server support				
			Support for 802.11r (fast transition)		1		
			Hotspot support for (custom) vouchers, password of the day, or T&C				
			acceptance				
	1		Wireless guest Internet access with walled garden options				
			Time-based wireless network access				
			Wireless repeating and bridging meshed network mode with supported				
		1	Libe				
	1		Automatic channel selection background optimization Support for HTTPS login				
			Rogue AP detection (available only with XG Firewall devices with				
			integrated Wi-Fi)				
				1	1		
			ZTNA	1	1		
		1	Integration with a Zero Trust Network Access (ZTNA) to offer a secure	1	1		
		- 1	and simple way for users to securely connect to important applications and data.				
			Securely connect users to applications				
			Cloud and on-premises application support				
		- 1	Remote access from anywhere				
		- 1	Device health integrates with Synchronized Security				
	- 1						
	- 1		Authentication			1	
		Į:	Synchronized User ID utilizes Synchronized Security to share currently				
		- 1	logged in Active Directory user ID between endpoints and the firewall without an agent on the AD server or client				
	1		Authentication via: Active Directory, eDirectory, RADIUS, LDAP and	-			
			TACACS+				
		[5	Server authentication agents for Active Directory SSO, STAS, SATC				
		ì	Single sign-on: Active directory, eDirectory, RADIUS Accounting				
			Radius Timeout with Two-Factor Authentication (2FA)				
		È	Client authentication agents for Windows, Mac OS X, Linux 32/64				
		a	Browser SSO authentication: Transparent, proxy authentication (NTLM)				
		E	Browser Captive Portal				
		A	Authentication certificates for iOS and Android	1			
		Ι.Α.	Authentication services for IPSec, SSL, L2TP, PPTP		10	- 1	
		le le	Google Chromebook authentication support for environments with		1		
		1	cure Directory and Google G Suite				
			PI-based authentication zure AD integration				
		- 1	1	-			
		S	support for creating users with UPN format for RADIUS authentication				
			ser Self-Serve Portal				
			ownload the Authentication Client				
		0	ownload SSL remote access client (Windows) and configuration files other OS)				
	1	100	otspot access information				
		lc	hange user name and password				
		V	iew personal internet usage				
		A	ccess quarantined messages and manage user-based block/ollow				
		Se	ender lists (requires Email Protection)				
			·	1.	11	100	

		Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
			IPSec and SSL VPN tunnels	per Unit		(Y or N)	BID PRICE
			Wizard-based orchestration				
			Site-to-site VPN: SSL, IPSec, 256- bit AFS/3DES, PES, PSA, V 500		1		
			ocitificates, pre-shared key				
			Remote Ethernet Device (RED) site-to-site VPN tunnel (robust and light-				
			weighty				
	- 1		L2TP and PPTP				
			Route-based VPN				
			Remote access: SSL, IPsec, iPhone/iPad/ Cisco/Andriod VPN client support				
			IKEv2 Support				
			SSL client for Windows and configuration download via user portal				
			Enforcement of TLS 1.2 for SSL site-to-site and remote access VPN				
			tunnels				
			Connect VPN Client				
			IPSec and SSL support	- 1			
			Easy provisioning and deployment				
			Free (unlimited SSL remote access licenses included at no extra charge)	-			
			Authentication: Pre-Shared Key (PSK), PKI (X.509), Token and XAUTH				
			Enables Synchronized Security and Security Heartbeat for remote				
		- 1	connected users				
			Intelligent split-tunneling for optimum traffic routing NAT-traversal support				
			Client-monitor for graphical overview of connection status	1			
			Mac and Windows Support				
			Remote access IPSec policy provisioning				
		- 1	Group support for remote access which enables imports from AD/LDAP				
			etc.				
			Intrusion Prevention (IPS)				
		- li	High-performance, next-gen IPS deep packet inspection engine with				
		1	selective in a patterns that can be applied on a firewell rule basis for				
		11:	riaximum performance and protection	1			
			Zero-day threat protection	- 1			
			Perimeter Defenses	- 1		- 1	
			Thousands of signatures				
			Granular category selection	1			
			Support for custom IPS signatures				
		u	PS Policy Smart Filters enable dynamic policies that automatically pdate as new patterns are added				
		Δ	ATP and Security Heartbeat				
		IA.	dvanced Threat Protection (detect and block network traffic attempting	- 1			
		1	o contact command and control servers using multi-layered DNS, AFC,				
			instantly identifies compromised endpoints including the host,				
		l m	ser, process, incident count, and time of compromise				
		- 12	olicies can limit access to network resources or completely include				
		1~	ompromised systems until they are cleaned			1	
		Li	ateral Movement Protection further isolates compromised systems by				
		1111	-1" I Today Traditaged eligopoints reject all traffic from unbacks.	1	1		
		bi	ndpoints preventing the movement of threats even on the same				
		In	telligent firewall policies	T			
			ulti-layered, call-home protection				
		Si	D-Remote Ethernet Device Management				
		Ze	ero-touch deployment auto-provisioning SD-WAN edge device				
		100	entral management of all SD-RED devices				
	- 1	No	o configuration: Automatically connects through a cloud-based				
		lbi.	ovisioning service				
		e le	nterprise-grade encryption				
			Dit tunnel options				
		bit	ecure encrypted tunnel using digital X.509 certificates and AES 256-				
			tual Ethernet for reliable transfer of all traffic between locations				
		IIP.	address management with centrally defined DHCP and DNS Sonor				
1		co	nfiguration				
1							

		Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
			Compression of tunnel traffic	per Unit	V /	(Y or N)	BID PRICE
			VLAN port configuration options				
			Integrated wireless options				
			Ultra affordable				
			Clientless VPN				
				1			
			Unique encrypted HTML5 self-service portal with support for RDP, HTTP, HTTPS, SSH, Telnet, and VNC				
			a, son, remet, and vivo				
			Web Protection and Control				
			Fully transparent proxy for anti-malware and web-filtering				
			Enhanced Advanced Threat Protection				
			URL Filter database with millions of city			1	
	1		URL Filter database with millions of sites across 92 categories backed by OEMLabs		T I		
			Surfing quota time policies per user/group		1		
			Access time polices per user/group		1		
	- 1		Malware scanning: block all forms of viruses, web malware, trojans and				
			spyware on HTTP/S, FTP and web-based email				
			Advanced web malware protection with JavaScript emulation				
			Live Protection real-time in-the-cloud lookups for the latest threat				
	1	- 1	intelligence	1			
			Second independent malware detection engine (Avira) for dual-			1	
1		- 1	Scarning	- 1		1	
			Real-time or batch mode scanning				
1	- 1	1	Pharming Protection				
		1	HTTP and HTTPS scanning on a per user or network policy basis with				
		- 1	destorrizable rules and exceptions				
- 1			SSL protocol tunnelling detection and enforcment				
		- 1	Certificate validation				
		- 1	High performance web content caching	1			
			Forced caching for updates	- 1			
		[1	File type filtering by mime-type, extension and active contest types (a.e.	1		1	
		- 1	iouvex, applets, cookies, etc.)				
			YouTube for Schools enforcement per policy (user/group)				
		18	SafeSearch enforcement (DNS-based) for major search engines nee	1			
		15-	oney (user/group)		1		
		I,	Web keyword monitoring and enforcement to log, report or block web	1	1		
		1 2	ists with the option to upload customs lists	1			
		l'E	Block Potentially Unwanted Applications (PUAs)				
1		V	Neb policy override option for teachers or staff to temporarily allow	1	1		
		ļα	coess to blocked sites or categories that are fully customizable and				
		1"	nanageable by Select users				
		Į.	Iser/Group policy enforcement on Google Chromebooks	1			
		IA.	Auto web-filtering of Internet Watch Foundation (IWF) identified alter				
		C	ontaining child sexual abuse				
			Old Application Visibility				
			Cloud Application Visibility				
		de	control Center widget displays amount of data uploaded and				
		ui	ownloaded to cloud applications categorized as new, sanctioned, insanctioned or tolerated				
		D	iscover Shadow IT at a glance				
		D	rill down to obtain details on users, traffic, and data				
		0	ne-click access to traffic shaping policies				
		Fi	ilter cloud application usage by category or volume			1	
		D	etailed customizable cloud application	J			
		re	etailed customizable cloud application usage report for full historical				
		- 1	pplication Protection and Control				
	1	Sy	rnchronized App Control to automatically, identify, classify, and control				
		O.11	unknown Windows and Mac applications on the network by sharing formation between managed endpoints and the firewall				
		Sig	gnature-based application control with patterns for thousands of				
				1			
		An	oud Application Visibility and Control to discover Shadow IT				
		lau	pp Control Smart Filters that enable dynamic policies which tomatically update as new patterns are added				
		Mi	cro app discovery and control				
		An	plication control based on category above to				
		an	plication control based on category, characteristics (e.g., bandwidth d productivity consuming),		1		
		tec	chnology (e.g. P2P), and risk level				
		Pe	r-user or network rule application control policy enforcement				
			The state of the policy collections of the state of the s				

ot	Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
			Web & App Traffic Shaping	per Unit	- July Aug (FIIP)	(Y or N)	BID PRICE
			Custom troffic aboving (O.O.				
			Custom traffic shaping (QoS) options by web category or application to			1	
			limit or guarantee upload/download or total traffic priority and bitrate individually or shared				
			Demanda Carrett			1	
			Dynamic Sandbox Analysis				
			Full integration into your security solution dashboard				
			Inspects executables and documents containing executable content				
			(including .exe, .com, and .dll, .doc, .docx, docm, and .rtf and PDF) and				
			archives containing any of the file types listed above /including ZID				
- 1			BZIP, GZIP, RAR, TAR, LHA/LZH, 7Z, Microsoft Cabinet)				
- 0							
			Aggressive behavioral, network, and memory analysis				
			Detects sandbox evasion behavior				
- 1			Machine Learning technology with Deep Learning scans all dropped executable files			- 1	
- 1			Includes exploit prevention and Cryptoguard Protection technology from				
			Chapolit Security			[
			In-depth malicious file reports and dashboard file release capability				
			Optional data center selection and flexible user and group policy				
			options on file type, exclusions, and actions on analysis				
			Supports one-time download links				
			Deep learning static file analysis				
			Multiple Machine Learning Models				
		9	Dynamic sandboxing analysis				
			Suspicious files subjected to threat intelligence analysis in parallel with				
			full sandbox analysis	1	- 1		
				1	1		
			Threat Intelligence Analysis	1	1		
			All files containing active code downloaded via the web as serving into				
			the mewall as email attachments such as everytables and decree-t-				
		1	containing executable content (including eye com and dil de-				
			.dock, docin, and .ttl and PDF) and archives containing any of the ci-				
		- 1	Specialistic above including ZIP B/IP G7IP DAD TABLITAK 711			1	
- 1		- 1	2, who could capinet) are automatically sent for Threat Intelligence				
- 1		- 1	the lysis	1			
			Files are checked against OEMLabs' massive threat intelligence	1	1	- 1	
		- 17	database and subjected to multiple machine learning models to identify				
		- 1	Toward discrepance				
			Extensive reporting includes a dashboard widget for analyzed files, a				
-		1	actioned list of the files that have been analyzed and the application			- 1	
		- 11	courts, and a detailed report outlining the outcome of each machine				
		1.	carriing model.				
		5	Static and Dynamic files analysis				
		s	SD-WAN Orchestration				
		5	SD-WAN and VPN orchestration with easy and automated wizard-				
		1	dised creation of site-to-site VPN funnels between network locations				
		ľ	only an openial atchitecture (hub-and-spoke full mesh or some				
		ļ	onibiliadori).				
1	11	IS	Supports IPSec, SSL or RED VPN tunnels. Integrates seamlessly with				
		١~	The statutes to application prioritization routing optimization				
1		Įl€	everaging multiple WAN links for resiliency and performance.				
		c	entral Firewall Reporting Advanced				
		3	0-days of cloud data storage for historical firewall capaciting with				
	1	Į u	avanced leadures (0	1			
		Sa	ave, schedule and export custom reports.				
			DR and MTR Connector				
		IR.	eady to integrate with extended threat detection and response (XDR)				
		1.0	r crossproduct unear nunting and analysis				
		S	upport for 24/7 managed threat response (MTR) service		1		
			mail Duetastics and a				
			mail Protection and Control (ADD-ON)	1			
		Fi	MTA store and forward support	1			
		E-	mail scanning with SMTP, POP3, and IMAP support	1			
		Re	eputation service with spam outbreak monitoring based on material				
		1,,,	Sourient-Pattern-Detection technology				
		Bi	ock spam and malware during the SMTP transaction				
		Dł	KIM and BATV anti-spam protection		111		
1011		Sp	parm greylisting and Sender Policy Framework (SPF) protection				

	Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
			Second independent malware detection engine (Avira) for dual-	per Unit		(Y or N)	BID PRICE
			scarring				
			Live Protection real-time in-the-cloud lookups for the latest threat intelligence				
			Live Anti-spam				
			Automatic signature and pattern updates				
			Smart host support for outbound relays				
			File-Type detection/blocking/scanning of attachments				
			Accept, reject or drop over-sized messages				
			Detects phishing URLs within e-mails		1		
			Use pre-defined content scanning rules or create your own custom rules based on a variety of criteria with granular policy options and exceptions				
			TIS Engagetion and exceptions				
			TLS Encryption support for SMTP, POP and IMAP				
			Append signature automatically to all outbound messages Email archiver	1			
- 1			Individual user-based block and allow sender lists maintained through	1			
			the user portal				
			Email Quarantine Management				
			Spam quarantine digest and notifications options	1			
			Malware and spam quarantines with search and filter options by date,				
			sender, recipient, subject, and reason with option to release and delete messages				
			Self-serve user portal for viewing and releasing quarantined messages				
			Email Encryption and DLP				
			Patent-pending SPX encryption for one-way message encryption				
		- 1	Recipient self-registration SPX password management		1		
- 1		- 14	Add attachments to SPX secure replies	1	1		
- 1		- 19	Completely transparent, no additional software or client required	1			
		11	our engine with automatic scanning of emails and attachments for				
		1	onomie data	- 1			
		F	Pre-packaged sensitive data type content control lists (CCLs) for PII, PCI, HIPAA, and more, maintained by OEMLabs				
		<u> </u>	Neb Application Firewall Protection (ADD-ON)				
	1		Reverse proxy JRL hardening engine with deep-linking and directory traversal				
			- Control				
			orm hardening engine				
			QL injection protection cross-site scripting protection	1			
			dual-antivirus engines				
		H	TTPS (TLS/SSL) encryption offloading				
		c	ookie signing with digital signatures				
		P	ath-based routing				
		0	utlook anywhere protocol support	1	1		
		R	everse authentication (offloading) for form-based and basis	1			
		1~"	and the server access	1			
		ln.	rtual server and physical server abstraction	1			
		SI	tegrated load balancer spreads visitors across multiple servers				
		М	kip individual checks in a granular fashion as required atch requests from source networks or specified target URLs				
		St	upport for logical and/or operators				
		As	sists compatibility with various configurations and non-standard				
		- 1	otions to change Web Application Firewall performance parameters				
		Sc	an size limit option				
			ow/Block IP ranges		R		
		Au	Ideard support for server paths and domains				
		1	tomatically append a prefix/suffix for authentication				
		Ce	ntral Firewall Reporting				
		Pre	e-defined reports with flexible customization options				
		In-	porting for Firewalls (hardware, software, virtual, and cloud)				
		Rei	uitive user interface provides graphical representation of data				
		24	port dashboard provides an at-a-glance view of events over the past				
	1		sily identify network activities, trends, and potential attacks				

	Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ABC (PhP)		Complied
			Easy backup of logs with quick retrieval for audit needs	per Unit	1.25 (1.11)	(Y or N)	BID PRICE
			Simplified deployment without the need for technical expertise				
- 1			Create custom reports with the freed for technical expertise	1			
			Create custom reports with powerful visualization tools				
			Syslog search and view				
- 1			Syslog data storage in central console				
			On-demand reporting in central console				
			7 day cloud storage for Central Firewall reporting				
			New Cloud Application (CASB) report				
			No extra charge				
- 1			l so exita charge				
			Central Firewall Reporting Advanced				
b			Multi-firewall aggregate reporting	1			
			Save custom report templates	1 1			
			Scheduled reporting	1 1		1	
			Export reports in PDF, CFV or HTML format			1	
			In to 1 year date eter			1	
			Up to 1 year data storage per firewall	1		1	
			XDR/MTR connector	1 1			
			Syslog search and view	1 1			
- 1	- 1		Syslog data storage in central console	1 1			
- }	1	- 1	On-demand reporting in central console	1			
			Report across multiple firewalls	1		1	
			Save, export, and schedule your reports				
			solver, and solvedule your reports		1		
			On Bou Book di				
			On-Box Reporting				
			No extra charge				
		- 1	Hundreds of an how seemed with				
		113	Hundreds of on-box reports with custom report options: Dashboards				
		117	Chamb, deculity, and USEF INPAT Clintient\ Applications (Ass. Dist.				
		111	Produced Apps, Syricilionized Apps, Search Engines, Web Community	1		- 1	
			Web Keyword Match, FTP), Network and Threats (IPS, ATP, Wireless,				
		1112	Journal Lieuwedt, Saligstofff), VPN Email Compliance (Lubaa				
		1	SEBA, OOA, FIGNIA, POI, NERC CIP V3, CIPA)		W.		
		E	Built-in storage on XGS Series for unlimited log data storage for				
- 1		1	historical reporting				
- 11	- 1		Current Activity Monitoring: system health, live users, IPSec				
Ш		c	connections, remote users, live connections, wireless clients,	1			
	10	c	juarantine, and DoS attacks	1		- 1	
- 1		F	Report anonymization			- 1	
		F	Report scheduling to multiple resistant		1	-	
		fı	Report scheduling to multiple recipients by report group with flexible requency options				
		F	YDOT reports on HTML DDC II		1		
	4		export reports as HTML, PDF, Excel (XLS)				
			deport bookmarks				
		- 15	og retention customization by category				
1		S	yslog Support			- 1	
		F	ull-featured Live Log Viewer with column view and detailed view with				
		p	owerful filter and search options, hyperlinked rule ID, and data view				
		Ct	ustomization , standard view				
		Н	ardware warranty & RMA with Advanced Exchange				
		24	4x7 Enhanced Plus International Co.				
		R	4x7 Enhanced Plus International Support via Telephone & Email with			- 1	
		F	emote Consultation from STSE (up to 4 hrs)				
W.			REE Security Updates & Patches	1		- 1	
		FI	REE Software Features Updates & Upgrades	1		1	
		Xs	stream Protection Bundle Includes :		1		
		Ba	ase License: Networking, Wireless, Xstream Architecture, Unlimited			1	
1		Re	emote Access VPN, Site-to-Site VPN, reporting				
1		Ne	etwork Protection: Xstream TLS and DPI engine, IPS, ATP, Security		1	1	
		He	eartbeat, SD-RED VPN, reporting			1	
		lw.	9b Protection: Yetroom TLS and DDI			1	
1	1	Co	eb Protection: Xstream TLS and DPI engine, Web Security and ontrol, Application Control, reporting			1	
		70	ro-Day Protection: Months - 1				
		rer	ro-Day Protection: Machine Learning and Sandboxing File Analysis,				
		10,	orting				
		A-	entral Orchestration: SD-WAN VPN Orchestration, Central Firewall				
		7 10	valiced Reporting (30-days), MTR/XDR ready	la la			
		En	nanced Support: 24/7 support, feature undates, advanced				
		rep	placement hardware warranty for term				
		Sta	andard Protection Bundle Includes :				
		Ba	se License: Networking, Wireless, Xstream Architecture, Unlimited				
		Re	mote Access VPN, Site-to-Site VPN, reporting				
		Ne	twork Protection: Xstream TLS and DPI engine, IPS, ATP, Security				
			······································				

ot Qty.	Unit	ITEM DESCRIPTION/SPECIFICATION	Selling Price	Total ARC (Php)	С	omplied
		Web Protection: Xstream TLS and DPI engine, Web Security and Control, Application Control, reporting Enhanced Support: 24/7 support, feature updates, advanced replacement hardware warranty for term Email Protection: On-box antispam, AV, DLP, encryption Web Server Protection: Web Application Firewall Enhanced Plus Support Upgrade: Upgrade your support with VIP support, HW warranty for add-ons, TAM option (extra cost) Group firewall management, backup management, firmware update scheduling Firewall Reporting: Prepackaged and custom report tools with seven days cloud storage for no extra charge Managed Threat Response: 24/7 threat hunting, detection and response delivered by an expert team Endpoint intercept feature with XDR: managed next-gen endpoint protection with EDR ZTNA: central console managed Zero Trust Network Access Central Email Advanced: central console managed antispam, AV, DLP, encryption With Firewall Software/Hardware Security Training for the staff of MIS *** nothing follows***	per Unit	Total ABC (PhP)	(Y or N)	BID PRICE

The NTA reserves the right to reject any or all offers, waive any formality herein or accept such offer as may be considered most advantageous to the Agency.

Very truly yours,

ZENA DAY. ARRO O
Chair person, NTA-Bids and Awards Committee (NTA-BAC)